

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 1 293 122 A1**

(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:

**19.03.2003 Bulletin 2003/12**

(21) Application number: **02020143.0**

(22) Date of filing: **09.09.2002**

(51) Int Cl.7: **A01N 25/02**, A01N 51/00,  
A01N 43/90, A01N 57/14,  
A01N 43/84, A01N 37/40,  
A01N 43/78, A01N 43/653  
// (A01N51/00, 43:90, 43:78,  
43:653, 25:02),  
(A01N43/90, 43:78, 43:653,  
25:02),  
(A01N57/14, 43:653, 25:02),  
(A01N43/84, 25:02),  
(A01N37/40, 25:02)

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
IE IT LI LU MC NL PT SE SK TR**

Designated Extension States:

**AL LT LV MK RO SI**

(30) Priority: **14.09.2001 IT PR20010061**

(71) Applicant: **Corradi, Bruno**

**I-43036 Fidenza (PARMA) (IT)**

(72) Inventor: **Corradi, Bruno**

**I-43036 Fidenza (PARMA) (IT)**

(74) Representative: **Gotra, Stefano**

**Bugnion S.p.A.**

**Via Garibaldi 22**

**43100 Parma (IT)**

(54) **A plant protection product, in particular for injections in arboreal plants, and the relative process**

(57) The plant protection product, in particular for injection in arboreal plants, which is the subject of the present invention is originally a solution basically consisting of at least a first plant protection product dissolved in a first organic solvent. In particular, the first plant protection substance is an insecticide, fungicide or antiseptic and the organic solvent is 95° ethanol. In the preferred embodiments, a second plant protection substance can be dissolved in the above-mentioned so-

lution, specifically a fungicide, insecticide or antiseptic, depending on the first substance which was mixed with the organic solvent. The process for the production of the plant protection substance for injection in arboreal plants involves the production of an injectable solution by adding and mixing in succession 95° ethanol, at least one insecticide and at least one fungicide.

**EP 1 293 122 A1**

## Description

**[0001]** The present invention relates to a plant protection product, in particular for injections in arboreal plants, and a process for obtaining it.

**[0002]** As is known, arboreal plants are treated using various types of chemical products, typically plant protection substances, fertilisers or similar products, each of which has a specific function.

**[0003]** These compounds are normally applied by means of spraying, or by direct absorption through the plant roots. However, both of these methods are possible sources of pollution for other plants and/or persons present in the area in which the treatment takes place.

**[0004]** To overcome this disadvantage, there are known plant treatment methods which involve the pressurised injection of medicinal products directly into the plant's lymphatic system. At present, the plant protection substances used to treat plants are mixtures which basically consist of insecticides and/or fungicides, and/or antiseptics, such as Vertimec®, Domarc, Meritgreen®, Oikos, Dursban®, Tecto, Basf-Mehltaumittel and/or salicylic acid, mixed with water to form emulsions or suspensions.

**[0005]** Although they effectively protect plants from insects, fungi, bacteria, viruses and parasites, these plant protection substances have some disadvantages.

**[0006]** Firstly, most of the plant protection substances currently on sale, and in particular the plant protection substances listed above, are not water-soluble or are only partially soluble in large volumes of water, typically forming emulsions or suspensions. For this reason, curative or preventive treatments which involve the use of such substances with water as the carrier are carried out by spraying. In fact, pressurised injection of such plant protection substances directly into the plant's lymphatic circulation system using water as the carrier, where possible, would be difficult, requiring large quantities of water to inject small doses of the active ingredient. For example, treatment of a plant with a trunk diameter of around 50 cm would need 15 ml of Meritgreen which, being soluble with a ratio of 5 ml per litre of water, would necessitate around three litres of water. As a result, to inject plant protection substances dissolved in large quantities of water directly into the trunk of a plant, very high pressures are needed, which may, therefore, compromise the integrity of the plant's lymphatic system.

**[0007]** Secondly, any injection of plant protection substances using large amounts of water as the carrier would occupy operators and sophisticated equipment for a considerable period of time and would, therefore, be uneconomical.

**[0008]** Another disadvantage is the fact that, to inject said substances directly into the plant's lymphatic system, many holes would have to be made in the trunk in order to administer the whole large amount of water rapidly enough. Therefore, the injection would be very in-

vasive and even damaging, especially for plants whose trunks have a small diameter.

**[0009]** The aim of the present invention is to overcome the above-mentioned disadvantages by providing a plant protection product, in particular for injections in arboreal plants, which is a concentrated solution without the formation of emulsions or suspensions, which can be rapidly injected directly into the trunk of a plant, particularly ornamental plants used for urban furnishings and/or fruit plants.

**[0010]** Another aim of the present invention is to propose a plant protection product which is easy and economical to produce.

**[0011]** Said aims are fulfilled by the plant protection product, in particular for injection in arboreal plants disclosed, which is characterised as indicated in the claims herein and in particular by the fact that it is a solution basically consisting of at least one plant protection substance dissolved in at least one organic solvent.

**[0012]** This and other characteristics are more clearly described in the description which follows, which relates to the preferred embodiments, without limiting the scope of application of the invention.

**[0013]** The plant protection product, in particular for injection in arboreal plants, disclosed is originally a solution basically consisting of at least a first plant protection substance dissolved in a first organic solvent. In particular, the first plant protection substance is an insecticide or fungicide or antiseptic and the organic solvent is ethanol, preferably 95° ethanol.

**[0014]** In the preferred embodiments presented below, it is possible to dissolve in said solution at least a second plant protection substance, specifically a fungicide and/or insecticide and/or antiseptic, depending on the first substance previously mixed with the organic solvent.

**[0015]** Tests performed with various plant protection products on sale, such as: Vertimec (containing around 1.9% abamectin), Domarc (containing around 4.42% tetraconazole), Meritgreen (containing around 17.8% imidacloprid), Oikos 25 plus (containing around 2.5% azadiractin), Oikos 32 Bio (containing 3% azadiractin), Dursban (containing around 44.6% chlorpyrifos), Tecto (containing around 19.7% thiabendazole), Basf-Mehltaumittel (containing around 40% dodemorph) and salicylic acid on their own or mixed together demonstrated that, when mixed with 95° ethanol in suitable ratios, indicated below, such products produce clear solutions without the formation of emulsions or suspensions.

**[0016]** In particular, excellent results were obtained in terms of the absence of emulsions or suspensions with clear solutions which had the following proportions (solutions prepared for plants with trunk diameters of around 50 cm):

- solution 1: ethanol 60 ml, Oikos 60 ml, Domarc 60 ml;
- solution 2: ethanol 45 ml, Vertimec 15 ml, Domarc

- 60 ml;
- solution 3: ethanol 45 ml, Meritgreen 15 ml, Domarc 60 ml;
- solution 4: ethanol 60 ml, Meritgreen 15 ml, Tecto 60 ml;
- solution 5: ethanol 60 ml, Dursban 50 ml, Domarc 50 ml.
- solution 6: ethanol 45 ml, Vertimec, 15 ml, Meritgreen 15 ml, Domarc 60 ml;
- solution 7: ethanol 30 ml, Vertimec 15 ml, Meritgreen 15 ml, Tecto 60 ml;
- solution 8: ethanol 40 ml, glucose 30 g, Meritgreen 15 ml, Tecto 60 ml;
- solution 9: ethanol 30 ml, glucose 30 g, Vertimec 15 ml, Tecto 60 ml;
- solution 10: ethanol 200 ml, Oikos 32 Bio 50 ml;
- solution 11: ethanol 100 ml, Oikos 25 plus 50 ml;
- solution 12: ethanol 20 ml; Basf-Mehltaumittel 60 ml.

**[0017]** As regards solutions 8 and 9, the amount of glucose present varies from around 10 to 60 g.

**[0018]** The plant protection substances listed in the first 7 solutions after ethanol, that is to say, Oikos, Vertimec, Meritgreen and Dursban, are insecticides, whilst the last plant protection substances listed in each solution is a fungicide (Domarc, Tecto and Basf-Mehltaumittel). In particular, the quantity of ethanol in solutions 1 to 11 may vary within the following values:

- solution 1: ethanol 50 - 100 ml;
- solution 2: ethanol 30 - 80 ml;
- solution 3: ethanol 30 - 80 ml;
- solution 4: ethanol 30 - 100 ml;
- solution 5: ethanol 30 - 100 ml;
- solution 6: ethanol 20 - 100 ml;
- solution 7: ethanol 10 - 80 ml;
- solution 8: ethanol 15 - 60 ml;
- solution 9: ethanol 15 - 60 ml;
- solution 10: ethanol 100 - 500 ml;
- solution 11: ethanol 50 - 200 ml;
- solution 12: ethanol 5 - 120 ml.

**[0019]** Therefore, at least in solutions 1 to 7, the percentage of 95° ethanol present varies between 18% and 53% of the volume of each solution.

**[0020]** From the above solutions it can be seen that the ratios between the volume of plant protection substances and ethanol are as follows:

- solution 1:

Domarc;  
Oikos in a volume substantially equal to Domarc;  
95° ethanol in a dose variable between around 0.83 and 1.66 times the volume of Domarc;

- solution 2:

Domarc;  
Vertimec® in a dose which is around 0.25 times the volume of Domarc;  
95° ethanol in a dose variable between around 0.5 and 1.33 times the volume of Domarc;

- solution 3:

Domarc;  
Meritgreen ® in a dose which is around 0.25 times the volume of Domarc;  
95° ethanol in a dose variable between around 0.5 and 1.33 times the volume of Domarc;

- solution 4:

Tecto;  
Meritgreen ® in a dose which is around 0.25 times the volume of Tecto; and  
95° ethanol in a dose variable between around 0.5 and 1.66 times the volume of Tecto;

- solution 5:

Domarc;  
Dursban ® in a volume substantially equal to Domarc;  
95° ethanol in a dose variable between around 0.6 and 2 times the volume of Domarc;

- solution 6:

Domarc;  
Meritgreen ® in a dose which is around 0.25 times the volume of Domarc;  
Vertimec® in a dose which is around 0.25 times the volume of Domarc; e  
95° ethanol in a dose variable between around 0.33 and 1.66 times the volume of Domarc;

- solution 7:

Tecto;  
Meritgreen ® in a dose which is around 0.25 times the volume of Tecto;  
Vertimec® in a dose which is around 0.25 times the volume of Tecto; and  
95° ethanol in a dose variable between around 0.16 and 1.33 times the volume of Tecto. For solutions 8 and 9:

- solution 8:

Tecto;  
Meritgreen ® in a dose which is around 0.25 times the volume of Tecto;

glucose in a quantity variable between around 10 and 60 g;  
95° ethanol in a dose variable between around 0.25 and 1 times the volume of Tecto;

- solution 9:

Tecto;  
Vertimec® in a dose which is around 0.25 times the volume of Tecto;  
glucose in a quantity variable between around 10 and 60 g;  
95° ethanol in a dose variable between around 0.25 and 1 times the volume of Tecto.

**[0021]** For solutions 10, 11 and 12:

- solution 10:

Oikos 32 Bio;  
95° ethanol in a dose variable between 2 and 10 times the volume of Oikos 32 Bio.

- solution 11:

Oikos 25 plus;  
95° ethanol in a dose variable between 1 and 4 times the volume of Oikos 25 plus.

- solution 12:

Basf-Mehltaumittel;  
95° ethanol in a dose variable between 0.083 and 2 times the volume of Basf-Mehltaumittel.

**[0022]** The first 7 solutions indicated above are mixtures of insecticides and fungicides and are prepared by mixing the plant protection substances with the organic solvent in the precise order in which they appear in each solution and at room temperature and pressure. The function of the organic solvent is to bind with the first plant protection substance put into the mixture, to protect it from chemical attack by the second substance and promote its bond with the latter.

**[0023]** The preparation of solutions 8 and 9 will be described later in this text.

**[0024]** Solutions 10, 11 and 12 are prepared by mixing the plant protection substances and the organic solvent at room temperature and pressure.

**[0025]** A second organic solvent, preferably isopropanol, in a quantity which is not less than 5% of the volume of the ethanol, can also be added to all of the above-mentioned solutions. The presence of a second organic solvent reinforces the protection supplied by the ethanol to the first plant protection substance introduced in the mixture, as well as promoting the bond between the plant protection substances dissolved in the solution.

**[0026]** In this sense, another solution (solution 13) ba-

sically consists of:

salicylic acid;  
95° ethanol in a dose variable between 2 and 4 times the mass of the salicylic acid;  
isopropanol in a dose variable between 1 and 2 times the mass of the salicylic acid.

**[0027]** The salicylic acid is basically an antiseptic, that is to say, it can be used as an antibacterial and/or antiviral substance. However, for some species of plants, it may act as a fungicide. The optimum quantity of the various substances in solution 13 are as follows: 50 g salicylic acid, 100 g 95° ethanol, 50 g isopropanol.

**[0028]** As regards the direct use of the active ingredients in the plant protection substances, the possible suitable solutions are as follows (again with reference to plants whose trunks have a diameter of around 50 cm):

- solution 1: azadiractin 1.5 ml;

tetraconazole 2.652 ml;  
ethanol 50 - 100 ml;  
isopropanol (if present) 2.5 - 5 ml;

- solution 2: abamectin 0.285 ml

tetraconazole 2.652 ml;  
ethanol 30 - 80 ml;  
isopropanol (if present) 1.5 - 4 ml;

- solution 3: imidacloprid 2.67 ml;

tetraconazole 2.652 ml;  
ethanol 30 - 80 ml;  
isopropanol (if present) 1.5 - 4 ml;

- solution 4: imidacloprid 2.67 ml;

thiabendazole 11.82 ml;  
ethanol 30 - 100 ml;  
isopropanol (if present) 1.5 - 5 ml;

- solution 5: chlorpyrifos 22.3 ml;

tetraconazole 2.21 ml;  
ethanol 30 - 100 ml;  
isopropanol (if present) 1.5 - 5 ml;

- solution 6: abamectin 0.285 ml;

imidacloprid 2.67 ml;  
tetraconazole 2.652 ml;  
ethanol 20 - 100 ml;  
isopropanol (if present) 1 - 5 ml.

- solution 7: abamectin 0.285 ml;

- imidacloprid 2.67 ml;  
thiabendazole 11.82 ml;  
ethanol 10 - 80 ml;  
isopropanol (if present) 0.5 - 4 ml.
- solution 8: imidacloprid 2.67 ml;  
  
thiabendazole 11.82 ml;  
ethanol 15 - 60 ml;  
glucose 10 - 60 g;  
isopropanol (if present) 0.75 - 3 ml.
  - solution 9: abamectin: 0.285 ml;  
  
thiabendazole: 11.82 ml;  
ethanol: 15 - 60 ml;  
glucose: 10 - 60 g;  
isopropanol (if present) 0.75 - 3 ml.
  - solution 10: azadiractin: 1.5 ml;  
  
ethanol: 100 - 500 ml.
  - solution 11: azadiractin: 1.25 ml;  
  
ethanol: 50 - 200 ml.
  - solution 12: dodemorph 24 ml;  
  
ethanol: 5 - 120 ml;
  - solution 13: salicylic acid: 50 g;  
  
ethanol: 100 - 200 g;  
isopropanol: 50 - 100 g.
- [0029]** For example, in the case of solution 3, Meritgreen, which contains imidacloprid, is soluble in water in a dose of 5 - 7 ml/l, which would make the preparation of an injectable solution impossible due to the huge volumes involved (around three litres of water).
- [0030]** However, if ethanol is used instead, a maximum total quantity of 155 ml of liquid for injection can be obtained (for a trunk with a diameter of around 50 cm) consisting of 15 ml of Meritgreen plus 60 ml of tetraconazole and 30 - 80 ml of 95° ethanol.
- [0031]** From the solutions indicated above, it is clear that the ratios of the volumes of plant protection substances to ethanol are as follows:
- solution 1:  
  
azadiractin;  
tetraconazole in a dose equal to around 1.77 times the volume of azadiractin;  
95° ethanol in a dose variable between around 33.33 and 66.66 times the volume of azadiractin.

- solution 2:  
  
abamectin;  
tetraconazole in a dose equal to around 9.3 times the volume of abamectin;  
95° ethanol in a dose variable between around 105 and 281 times the volume of abamectin.
  - solution 3:  
  
imidacloprid;  
tetraconazole in a volume substantially equal to the imidacloprid;  
95° ethanol in a dose variable between around 11.2 and 30 times the volume of imidacloprid.
  - solution 4:  
  
imidacloprid;  
thiabendazole in a dose equal to around 4.42 times the volume of imidacloprid; 95° ethanol in a dose variable between around 11.2 and 37.45 times the volume of imidacloprid.
  - solution 5:  
  
chlorpyrifos;  
tetraconazole in a dose equal to around 0.09 times the volume of chlorpyrifos; 95° ethanol in a dose variable between around 1.34 and 4.48 times the volume of chlorpyrifos.
  - solution 6:  
  
abamectin;  
imidacloprid in a dose equal to around 9.37 times the volume of abamectin;  
tetraconazole in a dose equal to around 9.31 times the volume of abamectin;  
95° ethanol in a dose variable between around 70 and 351 times the volume of abamectin.
  - solution 7:  
  
abamectin;  
imidacloprid in a dose equal to around 9.37 times the volume of abamectin;  
thiabendazole in a dose equal to around 41.47 times the volume of abamectin;  
95° ethanol in a dose variable between around 35.1 and 281 times the volume of abamectin.
- [0032]** For solutions 8 and 9:
- solution 8:  
  
imidacloprid;  
thiabendazole in a dose equal to around 4.42



times the volume of imidacloprid;  
95° ethanol in a dose variable between around 5.62 and 22.5 times the volume of imidacloprid;  
glucose in a quantity of between around 10 and 60 g;

- solution 9:

abamectin;  
thiabendazole in a dose equal to around 41.5 times the volume of abamectin;  
95° ethanol in a dose variable between around 52.6 and 210.5 times the volume of abamectin;  
glucose in a quantity of between around 10 and 60 g.

[0033] For solutions 10 and 11:

- solution 10:

azadiractin;  
95° ethanol in a dose variable between 66.6 and 333.3 times the volume of azadiractin.

- solution 11:

azadiractin;  
95° ethanol in a dose variable between 40 and 160 times the volume of azadiractin.

- solution 12:

dodemorph;  
95° ethanol in a dose variable between 0.21 and 5 times the volume of dodemorph.

[0034] As regards the isopropanol, as already indicated, it can be added to each of the eleven solutions in a percentage not below 5% of the volume of the 95° ethanol already present in solution.

[0035] Finally, for solution 13:

- solution 13:

salicylic acid;  
95° ethanol in a dose variable between 2 and 4 times the mass of salicylic acid;  
isopropanol in a dose variable between 1 and 2 times the mass of salicylic acid.

[0036] Solutions 8 and 9 are prepared in the following steps:

- mixing of glucose with Tecto;
- mixing of ethanol with Meritgreen or Vertimec;
- mixing of the two above-mentioned mixtures in a vacuum.

[0037] In particular, the two mixtures are mixed in a vacuum by preferably injecting the first mixture into the second, using a syringe from which the air was previously extracted.

5 [0038] Mixing has to be done in a vacuum to prevent the glucose, which is rich in carbon, from reacting with the air and oxidising.

[0039] The present invention has important advantages.

10 [0040] Firstly, a plant protection product made in accordance with the present invention consists of a concentrated and clear solution, without the formation of emulsions or suspensions and, therefore, is easily injected directly into the trunk of a plant, in particular ornamental plants for urban furnishings and/or fruit plants, using special syringes described in the patent applications submitted by the Applicant.

15 [0041] Secondly, being concentrated, such solutions are quickly injected by an operator, using non-invasive, low pressure techniques, significantly cutting operating costs.

[0042] Another advantage is the fact that this type of plant protection product is easy and economical to produce.

25

## Claims

1. A plant protection product, in particular for injections in arboreal plants, **characterised in that** it comprises a solution of at least one plant protection substance dissolved in at least one organic solvent.

2. The plant protection product according to claim 1, **characterised in that** the plant protection substance is an insecticide.

3. The plant protection product according to claim 1, **characterised in that** the plant protection substance is a fungicide.

4. The plant protection product according to claim 1, **characterised in that** the plant protection substance is an antiseptic.

5. The plant protection product according to any of the foregoing claims, **characterised in that** the solution comprises at least one additional plant protection substance consisting of a fungicide and/or insecticide and/or antiseptic.

6. The plant protection product according to claim 1, **characterised in that** the organic solvent is ethanol.

7. The plant protection product according to claim 6, in which the ethanol is 95° ethanol in a percentage variable between 18% and 53% of the volume of

the solution.

8. The plant protection product according to claim 1, **characterised in that** the solution comprises an additional organic solvent.

9. The plant protection product according to claim 8, **characterised in that** the additional organic solvent is isopropanol.

10. The plant protection product according to claim 8, **characterised in that** the additional organic solvent is present in the solution in a percentage not below 5% of the volume of the other organic solvent.

11. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Domarc;  
Oikos in a volume substantially equal to the Domarc;  
and  
95° ethanol in a dose variable between 0.83 and 1.66 times the volume of Domarc.

12. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Domarc;  
Vertimec ® in a dose equal to 0.25 times the volume of Domarc; and  
95° ethanol in a dose variable between 0.5 and 1.33 times the volume of Domarc.

13. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Domarc;  
Meritgreen ® in a dose equal to 0.25 times the volume of Domarc; and  
95° ethanol in a dose variable between 0.5 and 1.33 times the volume of Domarc.

14. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Tecto;  
Meritgreen ® in a dose equal to 0.25 times the volume of Tecto; and  
95° ethanol in a dose variable between 0.5 and 1.66 times the volume of Tecto.

15. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Domarc;  
Dursban ® in a volume substantially equal to the Domarc; and

95° ethanol in a dose variable between 0.6 and 2 times the volume of Domarc.

16. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Domarc;  
Meritgreen ® in a dose equal to 0.25 times the volume of Domarc;  
Vertimec ® in a dose equal to 0.25 times the volume of Domarc; and  
95° ethanol in a dose variable between 0.33 and 1.66 times the volume of Domarc.

17. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Tecto;  
Meritgreen ® in a dose equal to 0.25 times the volume of Tecto;  
Vertimec ® in a dose equal to 0.25 times the volume of Tecto; and  
95° ethanol in a dose variable between 0.16 and 1.33 times the volume of Tecto.

18. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Tecto;  
Meritgreen ® in a dose equal to 0.25 times the volume of Tecto; glucose in a quantity of between 10 and 60 g; and  
95° ethanol in a dose variable between 0.25 and 1 times the volume of Tecto.

19. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Tecto;  
Vertimec® in a dose equal to around 0.25 times the volume of Tecto;  
glucose in a quantity of between 10 and 60 g; and  
95° ethanol in a dose variable between 0.25 and 1 times the volume of Tecto.

20. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Oikos 32 Bio;  
95° ethanol in a dose variable between 2 and 10 times the volume of Oikos 32 Bio.

21. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Oikos 25 plus;  
95° ethanol in a dose variable between 1 and

4 times the volume of Oikos 25 plus.

22. The plant protection product according to claim 1, **characterised in that** it basically consists of:

5

salicylic acid;

95° ethanol in a dose variable between 2 and 4 times the mass of salicylic acid; isopropanol in a dose variable between 1 and 2 times the mass of salicylic acid.

10

23. The plant protection product according to claim 1, **characterised in that** it basically consists of:

Basf-Mehltaumittel;

95° ethanol in a dose variable between 0.083 and 2 times the volume of Basf-Mehltaumittel.

15

24. The plant protection product according to claim 1, **characterised in that** it basically consists of:

20

azadiractin;

tetraconazole in a dose equal to 1.77 times the volume of azadiractin; and

25

95° ethanol in a dose variable between 33.33 and 66.66 times the volume of azadiractin.

25. The plant protection product according to claim 1, **characterised in that** it basically consists of:

30

abamectin;

tetraconazole in a dose equal to 9.3 times the volume of abamectin; and

95° ethanol in a dose variable between 105 and 281 times the volume of abamectin.

35

26. The plant protection product according to claim 1, **characterised in that** it basically consists of:

40

imidacloprid;

tetraconazole in a volume substantially equal to the imidacloprid; and

95° ethanol in a dose variable between 11.2 and 30 times the volume of imidacloprid.

45

27. The plant protection product according to claim 1, **characterised in that** it basically consists of:

imidacloprid;

thiabendazole in a dose equal to 4.42 times the volume of imidacloprid; and

95° ethanol in a dose variable between 11.2 and 37.45 times the volume of imidacloprid.

50

55

28. The plant protection product according to claim 1, **characterised in that** it basically consists of:

chlorpyrifos;

tetraconazole in a dose equal to 0.09 times the volume of chlorpyrifos; and

95° ethanol in a dose variable between 1.34 and 4.48 times the volume of chlorpyrifos.

29. The plant protection product according to claim 1, **characterised in that** it basically consists of:

abamectin;

imidacloprid in a dose equal to 9.37 times the volume of abamectin;

tetraconazole in a dose equal to 9.31 times the volume of abamectin; and

95° ethanol in a dose variable between 70 and 351 times the volume of abamectin.

30. The plant protection product according to claim 1, **characterised in that** it basically consists of:

abamectin;

imidacloprid in a dose equal to 9.37 times the volume of abamectin;

thiabendazole in a dose equal to 41.47 times the volume of abamectin; and

95° ethanol in a dose variable between 35.1 and 281 times the volume of abamectin.

31. The plant protection product according to claim 1, **characterised in that** it basically consists of:

imidacloprid;

thiabendazole in a dose equal to 4.42 times the volume of imidacloprid;

95° ethanol in a dose variable between 5.62 and 22.5 times the volume of imidacloprid;

glucose in a quantity of between 10 and 60 g.

32. The plant protection product according to claim 1, **characterised in that** it basically consists of:

abamectin;

thiabendazole in a dose equal to 41.5 times the volume of abamectin;

95° ethanol in a dose variable between 52.6 and 210.5 times the volume of abamectin;

glucose in a quantity of between 10 and 60 g.

33. The plant protection product according to claim 1, **characterised in that** it basically consists of:

azadiractin;

95° ethanol in a dose variable between 66.6 and 333.3 times the volume of azadiractin.

34. The plant protection product according to claim 1, **characterised in that** it basically consists of:



azadiractin;  
95° ethanol in a dose variable between 40 and  
160 times the volume of azadiractin.

35. The plant protection product according to claim 1, 5  
**characterised in that** it basically consists of:

dodemorph;  
95° ethanol in a dose variable between 0.21  
and 5 times the volume of dodemorph. 10

36. The plant protection product according any of the  
foregoing claims from 11 to 21 or from 23 to 35,  
**characterised in that** the solution comprises a  
quantity of isopropanol not below 5% of the volume 15  
of the 95° ethanol.

37. A process for the production of a plant protection  
product for injection in arboreal plants, **character-**  
**ised in that** it involves the production of an inject- 20  
able solution by adding and mixing in succession:  
95° ethanol, at least one insecticide and at least one  
fungicide and/or at least one antiseptic.

38. A process for the production of a plant protection 25  
product for injection in arboreal plants, **character-**  
**ised in that** it involves the following steps:

mixing of glucose with a fungicide to form a first  
solution; 30  
mixing of 95° ethanol with an insecticide to form  
a second solution;  
mixing of the first solution with the second so-  
lution in a vacuum. 35

39. The process according to claim 38, **characterised**  
**in that** the step of mixing in a vacuum is performed  
by injecting the first solution in the second, using a  
syringe from which the air was previously extracted. 40

45

50

55



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 02 02 0143

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 212 822 A (ICI AMERICA INC) 4 March 1987 (1987-03-04)	1, 3-10, 37-39	A01N25/02 A01N51/00
Y	* page 1, line 24 - line 21 * * page 4, line 15 - page 5, line 15 * * page 9, line 15 - line 26 * * page 24, line 18 - page 25, line 2; claims 1,4; examples 21-52 *	2, 11-36	A01N43/90 A01N57/14 A01N43/84 A01N37/40 A01N43/78 A01N43/653
X	DATABASE WPI Section Ch, Week 199720 Derwent Publications Ltd., London, GB; Class A97, AN 1997-221662 XP002228149 & JP 09 067221 A (OTSUKA KAGAKU YAKUHI KK), 11 March 1997 (1997-03-11)	1, 2, 37	//(A01N51/00, 43:90, 43:78, 43:653, 25:02), (A01N43/90, 43:78, 43:653, 25:02), (A01N57/14, 43:653, 25:02), (A01N43/84, 25:02),
Y	* abstract *	2, 11, 20, 21, 24, 33, 34, 36	
X	DATABASE WPI Section Ch, Week 199637 Derwent Publications Ltd., London, GB; Class C01, AN 1996-368037 XP002228150 & JP 08 175914 A (SUZUKI T), 9 July 1996 (1996-07-09)	1-3, 6, 7, 37	TECHNICAL FIELDS SEARCHED (Int.Cl.7) A01N
Y	* abstract *	12-19, 25-32	
Y	PATENT ABSTRACTS OF JAPAN vol. 014, no. 322 (C-0739), 10 July 1990 (1990-07-10) & JP 02 115104 A (SAKAE FUNAMIZU), 27 April 1990 (1990-04-27) * abstract *	22	
-/--			
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>22 January 2003</b>	Examiner <b>Muellners, W</b>
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03/92 (P/4001)



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 02 02 0143

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	US 4 814 331 A (KERKENAAR ANTONIUS) 21 March 1989 (1989-03-21) * column 2, line 44 - line 66 * * formulas 2, formula 27 * * column 11, line 24 - line 32; claims 1,4 *	23, 35	(A01N37/40, 25:02)
X	WO 96 19920 A (PFIZER PHARMA) 4 July 1996 (1996-07-04) * page 2, line 5 - page 3, line 9 * * page 4, line 13 - page 5, line 9 * * page 6, line 3 - line 13 *	1, 2, 5	
X	DE 196 54 079 A (BAYER AG) 25 June 1998 (1998-06-25) * page 2, line 3 - line 5; table 1 * * page 11, line 38 - line 48; examples 1-5 *	1, 2, 5, 8-10, 37	
X	EP 0 405 291 A (GRACE W R & CO) 2 January 1991 (1991-01-02)  * page 3, line 1 - line 39; example 5 *	1, 2, 6-8, 10, 20, 21, 33, 34, 37	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
X	DATABASE WPI Section Ch, Week 199536 Derwent Publications Ltd., London, GB; Class C02, AN 1995-272810 XP002228151 & JP 07 173017 A (SUZUKI T), 11 July 1995 (1995-07-11) * abstract *	1, 2, 6, 37	
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		22 January 2003	Muellners, W
CATEGORY OF CITED DOCUMENTS X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding document			

EPO FORM 1503 03 92 (F04C01)



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 02 02 0143

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	GB 2 278 347 A (SON UI SUNG) 30 November 1994 (1994-11-30) * page 6, line 1 - line 9 * * page 7, line 6 - line 21; claims 1-4; examples 6,7,10 *	1,3-7,37	
X	DATABASE WPI Section Ch, Week 198448 Derwent Publications Ltd., London, GB; Class C02, AN 1984-298609 XP002228152 & JP 59 186904 A (KAKEN PHARM CO LTD), 23 October 1984 (1984-10-23) * abstract *	1,3,6,37	
X	DATABASE WPI Section Ch, Week 198415 Derwent Publications Ltd., London, GB; Class C02, AN 1984-092332 XP002228153 & JP 59 039804 A (HODOGAYA CHEM IND CO LTD), 5 March 1984 (1984-03-05) * abstract *	1,6,7,37	
X	DATABASE WPI Section Ch, Week 198443 Derwent Publications Ltd., London, GB; Class C02, AN 1984-265861 XP002228154 & JP 59 161302 A (HODOGAYA CHEM IND CO LTD), 12 September 1984 (1984-09-12) * abstract *	1,6,7,37	
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>22 January 2003</b>	Examiner <b>Muellners, W</b>
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03 B2 (P04001)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 02 0143

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-01-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0212822	A	04-03-1987	AU	590590 B2	09-11-1989
			AU	6013886 A	29-01-1987
			BR	8603476 A	04-03-1987
			CA	1290583 A1	15-10-1991
			EP	0212822 A1	04-03-1987
			JP	62053901 A	09-03-1987
			NZ	216862 A	29-08-1989
			ZA	8605187 A	25-03-1987
JP 9067221	A	11-03-1997	NONE		
JP 8175914	A	09-07-1996	JP	3117889 B2	18-12-2000
JP 02115104	A	27-04-1990	NONE		
US 4814331	A	21-03-1989	NL	8402979 A	16-04-1986
			CA	1272122 A1	31-07-1990
			EP	0180263 A2	07-05-1986
WO 9619920	A	04-07-1996	WO	9619920 A1	04-07-1996
			CN	1137345 A	11-12-1996
DE 19654079	A	25-06-1998	DE	19654079 A1	25-06-1998
			AU	736083 B2	26-07-2001
			AU	5756198 A	17-07-1998
			BR	9714236 A	18-04-2000
			WO	9827817 A1	02-07-1998
			EP	0946099 A1	06-10-1999
			HU	0000600 A2	28-07-2000
			JP	2001507685 T	12-06-2001
			KR	2000057545 A	25-09-2000
			NZ	336344 A	30-03-2001
			PL	334181 A1	14-02-2000
			TW	448047 B	01-08-2001
			ZA	9711496 A	24-06-1998
EP 0405291	A	02-01-1991	US	5001146 A	19-03-1991
			AU	619720 B2	30-01-1992
			AU	5775990 A	03-01-1991
			CA	2016964 A1	26-12-1990
			DE	69011988 D1	06-10-1994
			DE	69011988 T2	12-01-1995
			DK	405291 T3	03-10-1994
			EP	0405291 A1	02-01-1991
			ES	2058686 T3	01-11-1994
			JP	2841746 B2	24-12-1998

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82



**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 02 0143

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-01-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0405291	A		JP	3038506 A	19-02-1991
			NZ	234226 A	25-06-1992
			PT	94495 A , B	08-02-1991
			US	5124349 A	23-06-1992
JP 7173017	A	11-07-1995	NONE		
GB 2278347	A	30-11-1994	KR	9609484 B1	20-07-1996
JP 59186904	A	23-10-1984	NONE		
JP 59039804	A	05-03-1984	JP	1053643 B	15-11-1989
			JP	1567034 C	25-06-1990
JP 59161302	A	12-09-1984	JP	1676422 C	26-06-1992
			JP	3044043 B	04-07-1991

EPC FORM PO/89

For more details about this annex ; see Official Journal of the European Patent Office, No. 12/82